

ATG | BETTER VALUE.
SMARTER CHOICE.

AGRI STAR II 70-85 SERIES

TIRES THAT ARE A CLASS APART

 **ALLIANCE**
ENGINEERED TO KEEP YOU AHEAD



STELLAR PERFORMANCE, GUARANTEED.

Agricultural tires get their most advanced upgrade. Alliance is proud to introduce the brand new AGRI STAR II series, designed to perform exceptionally well on the field and please the eye as well.


Its elegant sidewall inspired by water and earth complements the modern tractor's connect with the land, whereas its innovative lug with Stratified Layer Technology raises the bar of on-field performance, making it the class apart tire.



UNMATCHED TRACTION AND DURABILITY

Stratified Layer Technology is a unique combination of two layers - The first layer with a multi-angle lug profile and the second layer with a single angle lug profile. Each lug of AGRI STAR II is formed by combining these layers. Even after prolonged wear the second layer of lug ensures traction and roadability, making it well-equipped for on and off field operations.

The two layers with different profiles also assure better braking capabilities, increase in contact area and excellent self cleaning.



The dual step tie-bars prevent lug shuffling and act as mud breakers ensuring excellent self-cleaning.

Wider tread width ensures increase in contact area and lower soil compaction.


Overlapping of the central lugs assure superior roadability.

Presence of special stubble guard and wear resistance compound safeguards tire against damages ensuring longer life.


Robust polyester casing construction provides excellent dimensional stability.

SOIL PROTECTION

AGRI STAR II



PREDECESSOR



AGRI STAR II series has 13% more contact area than its predecessor ensuring minimum soil compaction resulting in higher yields.

#Under standard conditions

INCREASED FOOTPRINT

70 SERIES

Rim	Size	LI
16	260/70R16	109D
	280/70R16	112D
18	280/70R18	114D
20	280/70R20	116D
	300/70R20	120D
	320/70R20	123D
	360/70R20	129D
	380/70R20	122D
24	320/70R24	116D
	360/70R24	122D
	380/70R24	125D
	420/70R24	130D
	480/70R24	138D
28	380/70R28	127D
	420/70R28	133D
	480/70R28	140D, 151D*
	600/70R28	161D
30	420/70R30	134D
	480/70R30	141D, 150D*, 156D*
	600/70R30	152D
34	480/70R34	143D, 155D*
	520/70R34	148D, 168D*
38	480/70R38	145D
	520/70R38	150D
	580/70R38	155D, 170D, 180D
	710/70R38	172D, 178D
42	710/70R42	173D

85 SERIES

Rim	Size	LI
20	320/85R20	119D
24	280/85R24	115D
	320/85R24	122D, 142D*
	340/85R24	125D
	380/85R24	131D
28	420/85R24	137D
	280/85R28	118D
	320/85R28	124D
	340/85R28	127D
30	380/85R28	133D
	420/85R28	139D
	380/85R30	135D
	420/85R30	140D
32	460/85R30	145D
	320/85R32	126D
34	380/85R34	137D
	420/85R34	147D, 142D
	460/85R34	147D, 157D*
36	320/85R36	128D
	340/85R36	132D
38	320/85R38	143D
	340/85R38	133D, 151D*
	380/80R38	142D, 152D*
38	420/85R38	144D
	460/85R38	149D, 167D
	520/85R38	155D, 169D
	650/85R38	173D
42	480/80R42	151D, 169D*
	520/85R42	157D, 169D
46	480/80R46	158D
	520/85R46	158D
50	480/80R50	159D

*Under development



EMAIL: CONTACT@ATGTIRE.COM | WWW.ATGTIRE.COM

Disclaimer: The specifications mentioned in this document are subject to change with no prior intimation or notice. Please visit our website for updated information and details.

Distributor:

With presence in 120 countries, across 6 continents, ATG specializes in the development, manufacturing and sale of Off-Highway Tires. One of the fastest growing companies in the segment, ATG has a wide range of offerings for Agricultural, Forestry, Industrial and OTR tires and three world-renowned brands – Alliance, Galaxy and Primex. ATG's mission is to deliver superior value to their customers through focus on innovation, technology and cost-efficient manufacturing and distribution practices. ATG is a fully owned subsidiary of The Yokohama Rubber Company, Japan.

ATG BETTER VALUE. SMARTER CHOICE.

[facebook.com/atgtire](https://www.facebook.com/atgtire)
[@atg_central](https://twitter.com/atg_central)
[youtube.com/channel/atgtires](https://www.youtube.com/channel/atgtires)
www.atgtire.com